


Certificate of Compliance



You have been awarded:

Intertek Warnock Hersey Mark for fire resistant doors and door sets

UL 10(c) (1998): CAN / ULC S104 1980 (R1985); UL 10(b) (2008): NFPA 252 (2008): UL 10(c) (2009): UL 10(b) (2009): CAN / ULC S104 (2010): NFPA 252 (2012)

Certificate number: WHI17 – 9354714

This is a certificate of conformity to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed in the accompanying schedule

Organization:

Haseeb Rasoul FZC

P.O. Box 42327

Hamriyah Free Zone

Sharjah, United Arab Emirates

Product: Warm Springs - 20 Minute Solid Core Fire Door

Maximum sizes 20 minutes

Single Swing: 4'0" wide x 9'0" high (1219mm wide x 2743mm high)

Standard Pairs: 8'0" wide x 9'0" high (2438mm wide x 2743mm high)

Standard Pairs (Single Leaf): 4'0" wide x 9'0" high (1219mm wide x 2743mm high)


Certification body: Intertek Testing Services NA, Inc.

Initial registration: August 01, 2017

Date of expiry: December 31, 2018

Issue status: 3

Charles Meyers
Certification Manager
Name



Signature

28 Feb 2018
Date

www.intertek.com

Registered address:
Intertek Testing Services NA, Inc. 545 E. Algonquin Rd. Arlington Heights, IL 60005 USA

Certificate of Compliance



You have been awarded:

Intertek Warnock Hersey Mark for fire resistant doors and door sets

UBC 7-2 (1997); UBC 7-2 (1994); CAN / ULC S104 1980 (R1985); ASTM E2074 (2004); UL 10(b) (2008); NFPA 252 (2008); UL 10(c) (2001); UL 10(b) Revision 1 (2009); UL 10(c) (2009); CAN / ULC S104 (2010); NFPA 252 (2012)

Certificate number: WHI17 – 9354715

This is a certificate of conformity to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed in the accompanying schedule.

Organization:

Haseeb Rasoul FZC

P.O. Box 42327

Hamriyah Free Zone

Sharjah, United Arab Emirates

Product: Warm Springs 45-90 Minute Flush Doors

Maximum Sizes (by Core Type)

Thermal-Lite: Single - 4'0" wide x 8'0" high (1219mm wide x 2438mm high)

Pairs - 7'0" wide x 8'0" high (2134mm wide x 2438mm high)

MDS Mineral Core: Single - 4'0" wide x 9'0" high (1219mm wide x 2743mm high)

Pairs - 8'0" wide x 9'0" high (2438mm wide x 2743mm high)

AHJ: Single - 4'0" wide x 9'0" high (1219mm wide x 2743mm high)

Pairs - 8'0" wide x 9'0" high (2438mm wide x 2743mm high)

G-P Gypsum: Single - 4'0" wide x 8'0" high (1219mm wide x 2438mm high)

Pairs - 8'0" wide x 8'0" high (2438mm wide x 2438mm high)

WSCP-412: Single - 4'0" wide x 8'0" high **Pairs** - 8'0" wide x 8'0" high

Certification body: Intertek Testing Services NA, Inc.

Initial registration: August 01, 2017

Date of expiry: December 31, 2018

Issue status: 3

Charles Meyers
Certification Manager
Name

Signature

28 Feb 2018
Date

Certificate of Compliance



You have been awarded:

Intertek Warnock Hersey Mark for fire resistant doors and door sets

NFPA 252 (2008): UL 10(c) (2009): CAN / ULC S104 (2010): NFPA 252 (2012)

Certificate number: WHI17 – 9354716

This is a certificate of conformity to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed in the accompanying schedule.

Organization:

Haseeb Rasoul FZC

P.O. Box 42327

Hamriyah Free Zone

Sharjah, United Arab Emirates

Product: Warm Springs 60 and 90 Minute Profiled Core Fire Door

Maximum sizes 60 minutes

Single Swing: 3'0" wide x 8'0" high

Standard Pairs: 6'0" wide x 7'0" high

Maximum sizes 90 minutes

Single Swing: 3'0" wide x 7'0" high


Certification body: Intertek Testing Services NA, Inc.

Initial registration: August 01, 2017

Date of expiry: December 31, 2018

Issue status: 3

Charles Meyers
Certification Manager
Name



Signature

28 Feb 2018
Date

www.intertek.com

Registered address:
Intertek Testing Services NA, Inc. 545 E. Algonquin Rd. Arlington Heights, IL 60005 USA

Certificate of Compliance



You have been awarded:

Intertek Warnock Hersey Mark for fire resistant doors and door sets

ASTM E152-81a: UL 10(c) (1998): UBC 7-2 (1997): UBC 7-2 (1994): UL 10(b) (1997): ASTM E2074 (2000): NFPA 252 (2003): CAN / ULC S104 1980 (R1985): UL 10(b) Revision 1 (2009): UL 10(c) (2009): CAN / ULC S104 (2010): NFPA 252 (2012)

Certificate number: WHI17 – 9354717

This is a certificate of conformity to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed in the accompanying schedule.

Organization:

Haseeb Rasoul FZC

P.O. Box 42327

Hamriyah Free Zone

Sharjah, United Arab Emirates

Product: Warm Springs 60 Min Single-Swing MDF Door Frame

Maximum sizes 60 minutes

Single Swing: 4'0" wide x 8'0" high

Certification body: Intertek Testing Services NA, Inc.

Initial registration: August 01, 2017

Date of expiry: December 31, 2018

Issue status: 3

Charles Meyers
Certification Manager
Name


Signature

28 Feb 2018
Date

www.intertek.com

Registered address:
Intertek Testing Services NA, Inc. 545 E. Algonquin Rd. Arlington Heights, IL 60005 USA


Certificate of Compliance

You have been awarded:

Intertek Warnock Hersey Mark for fire resistant doors and door sets

ASTM E152-81a: UL 10(c) (1998): UBC 7-2 (1997): UBC 7-2 (1994): UL 10(b) (1997): ASTM E2074 (2000): NFPA 252 (2003): CAN / ULC S104 1980 (R1985): UL 10(b) Revision 1 (2009): UL 10(c) (2009): CAN / ULC S104 (2010): NFPA 252 (2012)

Certificate number: WHI17 – 9354718



This is a certificate of conformity to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed in the accompanying schedule.

Organization:
Haseeb Rasoul FZC
P.O. Box 42327
Hamriyah Free Zone
Sharjah, United Arab Emirates

Product: Warm Springs 20 Minute Fire Door Frame (with Concealed Closer)
Maximum sizes 20 minutes
Single Swing: 4'0" wide x 8'0" high
Standard Pairs: 7'0" wide x 8'0" high

Certification body: Intertek Testing Services NA, Inc.
Initial registration: August 01, 2017
Date of expiry: December 31, 2018
Issue status: 3

Charles Meyers
Certification Manager
Name


Signature

28 Feb 2018
Date

Certificate of Compliance



This is a certificate of conformity to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed in the accompanying schedule.

You have been awarded:

Intertek Warnock Hersey Mark for fire resistant doors and door sets

UBC 7-2 (1994): ASTM E152-81AE02: NFPA 252 (2008): UL 10(b) Revision 1 (2009): CAN / ULC S104 (2010): NFPA 252 (2012)

Certificate number: WHI17 – 9354719

Organization:

Haseeb Rasoul FZC

P.O. Box 42327

Hamriyah Free Zone

Sharjah, United Arab Emirates

Product: Warm Springs Doors NP

Mineral Core Type, Swinging Flush Design Fire Door for installation in single swing 90 Minute

Maximum Size of Openings: 4'0" wide x 8'0" high

Composite Core Type, Swinging Flush Design Fire Door for installation in single swing 90 Minute

Maximum Size of Openings: 4'0" wide x 8'0" high

Mineral Core Type, Swinging Flush Design Fire Door for installation in pairs in 60 Minute.

Maximum Size of Openings: 8'0" wide x 8'0" high


Certification body: Intertek Testing Services NA, Inc.

Initial registration: August 01, 2017

Date of expiry: December 31, 2018


Issue status: 3

Charles Meyers
Certification Manager
Name


Signature

28 Feb 2018
Date

Certificate of Compliance



You have been awarded:

Intertek Warnock Hersey Mark for fire resistant doors and door sets

ASTM E152-81a: UL 10(c) (1998): UBC 7-2 (1997): UBC 7-2 (1994): UL 10(b) (1997): ASTM E2074 (2000): NFPA 252 (2003): CAN / ULC S104 1980 (R1985): UL 10(b) Revision 1 (2009): UL 10(c) (2009): CAN / ULC S104 (2010): NFPA 252 (2012)

Certificate number: WHI17 – 9354720

This is a certificate of conformity to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed in the accompanying schedule.

Organization:

Haseeb Rasoul FZC

P.O. Box 42327

Hamriyah Free Zone

Sharjah, United Arab Emirates

Product: Warm Springs 20 Min Fire Door Frame

Maximum sizes 20 minutes

Single Swing: 4'0" wide x 8'0" high

Standard Pairs: 7'0" wide x 8'0" high

Certification body: Intertek Testing Services NA, Inc.

Initial registration: August 01, 2017

Date of expiry: December 31, 2018

Issue status: 3


Charles Meyers
Certification Manager
Name



Signature

28 Feb 2018
Date

Certificate of Compliance



You have been awarded:

Intertek Warnock Hersey Mark for fire resistant doors and door sets

UL 10(c) (2009): UL 10(b) (2009): CAN / ULC S104 (2010): NFPA 252 (2012)

Certificate number: WHI17 – 9354721

This is a certificate of conformity to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed in the accompanying schedule.

Organization:

Haseeb Rasoul FZC

P.O. Box 42327

Hamriyah Free Zone

Sharjah, United Arab Emirates

Product: Warm Springs 60-90 minute Single Swing Sound Transmission Doorset

Single-Swing Door maximum dimensions:

For 60 minutes: Maximum 48 in. wide by 96 in. high

For 90 minutes: Maximum 36 in. wide by 96 in. high

For 90 minutes: Maximum 42 in. wide by 84 in. high

Pairs are not allowed

All doors have a minimum thickness of 2-5/16 in. inclusive of the skins.


Certification body: Intertek Testing Services NA, Inc.

Initial registration: August 01, 2017

Date of expiry: December 31, 2018


Issue status: 3

Charles Meyers
Certification Manager
Name


Signature

28 Feb 2018
Date

Certificate of Compliance



You have been awarded:

Intertek Warnock Hersey Mark for fire resistant doors and door sets

NFPA 252 (1995): UL 10(c) (1998): UBC 7-2 (1997): CAN4 S104 (1985): UL 10(c) (2009): CAN / ULC S104 (2010): NFPA 252 (2012): CAN / ULC S104 (2015)

Certificate number: WHI17 – 9354722

This is a certificate of conformity to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed in the accompanying schedule.

Organization:

Haseeb Rasoul FZC

P.O. Box 42327

Hamriyah Free Zone

Sharjah, United Arab Emirates

Product: Warm Springs 20-90 Min Fire Door Frame

Maximum sizes 90 minutes

Single Swing: 4'0" wide x 8'0" high (1219mm wide x 2438mm high)

Standard Pairs: 8'0" wide x 8'0" high (2438mm wide x 2438mm high)

Certification body: Intertek Testing Services NA, Inc.

Initial registration: August 01, 2017

Date of expiry: December 31, 2018

Issue status: 3

Charles Meyers
Certification Manager

Name

Signature

28 Feb 2018

Date